

# BlowerDoor MiniFogger

## Battery-operated Fogger

In addition to the fluid reservoir also the battery can be screwed directly into the machine. Any external cable or fluid tube is not longer needed.



## The most important functions

- Smallest dimensions and very light weight,
- Easy one-hand-operation
- Battery supplies energy only when necessary to increase the Standby time
- Warm up time only 1 second
- Continuous output
- Fogging time programmable
- Control via start button, cable remote and radio remote
- Vaporizer can easily be changed if necessary
- Minimal fluid consumption (0.5 ml/min. at continuous output)
- Supplied in a case for transport and storage
- Made in Germany

## Technical Data

<b>Procedure:</b>	Vaporizing fog generator
<b>Power requirement:</b>	30 Watt
<b>Voltage:</b>	3.7 V with battery
<b>Warm up time:</b>	1 sec.
<b>Fluid consumption:</b>	0.65 ml/min. at continuous output
<b>Fluid tank capacity:</b>	5 ml
<b>Fog output:</b>	Continuous output with battery pack approx 10 min.
<b>Fogging time:</b>	programmable approx. 15 min continuous output or 200 x 5 sec. bursts
<b>Control:</b>	2.5 mm analog stereo jack socket
<b>Dimensions (L x W x H):</b>	10.3 x 5.1 x 3.5 cm
<b>Weight:</b>	250 g incl. battery and fluid tank

Scope of delivery and prices: [blowerdoor-unlimited.com](http://blowerdoor-unlimited.com)

# BlowerDoor HandFogger

## Battery-operated Fogger

The design of the HandFogger is based on the current digital control technology. Its easy handling and quick start-up is outstanding.



## The most important functions

- Small dimensions, light weight
- Battery supplies energy only when necessary
- Warm up time less than 1 second
- Continuous output
- Lowest fluid consumption
- Changeable battery
- Triggered with the start button or the optional radio remote, DMX-converter and timer
- Made in Germany

## Technical Data


<b>Procedure:</b>	Vaporizing fog generator
<b>Power requirement:</b>	70 Watt
<b>Voltage:</b>	12 V with battery
<b>Warm up time:</b>	1 sec.
<b>Fluid consumption:</b>	2.3 ml/min. at continuous output
<b>Fluid tank capacity:</b>	50 ml
<b>Fogging time:</b>	programmable (with cable remote), approx. 15 min. continuous output or 200 x 5 sec. bursts
<b>Temperature control:</b>	Microprocessor controlled
<b>Control:</b>	3.5 mm analog stereo jack socket
<b>Dimensions (L x W x H):</b>	25 x 5.3 x 5.5 cm
<b>Weight:</b>	630 g incl. battery

Scope of delivery and prices: [blowerdoor-unlimited.com](http://blowerdoor-unlimited.com)

# BlowerDoor PowerFogger

## Battery-operated Fogger

The PowerFogger completes the range of the off-mains operated machines perfectly and fills the gap between high flexibility and powerful fog output.



## Technical Data

<b>Procedure:</b>	Vaporizing fog generator
<b>Power requirement:</b>	400 Watt
<b>Voltage:</b>	12 V with battery
<b>Warm up time:</b>	1 sec.
<b>Fluid consumption:</b>	10 ml/min. at continuous output
<b>Fluid tank capacity:</b>	250 ml
<b>Fog output:</b>	adjustable
<b>Fogging time:</b>	25 min. continuous output or 150 x 5 sec. bursts
<b>Temperature control:</b>	Microprocessor controlled
<b>Control:</b>	0–10 V analog
<b>Dimensions (L x W x H):</b>	22.3 x 18 x 19 cm
<b>Weight:</b>	5.6 kg incl. canister

Scope of delivery and prices: [blowerdoor-unlimited.com](http://blowerdoor-unlimited.com)

## The most important functions

- Portable use
- Heat-up time only one second
- Light weight, small dimensions
- Adjustable output
- 250 hours stand-by time
- Continuous output
- Easy handling
- Control via start button or analog (0–12 V) and with XLR-remote, radio remote, DMX-converter, Timer
- Minimal fluid consumption
- Easy change of the batterypack
- Made in Germany

# BlowerDoor SlightFogger

## Mains-operated Fogger

The SlightFogger is a compact and powerful 650 Watt fog generator with a strong output.



## The most important functions

- DMX as standard, analog and stand-alone-mode
- Internal timer
- Fog output adjustable in steps of 1 % (0–99 %)
- Continuous output
- Easy handling
- Powerful output
- Made in Germany

## Technical Data

<b>Procedure:</b>	Vaporizing fog generator
<b>Power requirement:</b>	650 Watt
<b>Voltage:</b>	230 V / 50 Hz, 120 V / 60 Hz
<b>Warm up time:</b>	approx. 7 min.
<b>Fluid consumption:</b>	60 ml/min. at max. output, 15 ml/min. at continuous output
<b>Fluid tank capacity:</b>	750 ml
<b>Fog output:</b>	adjustable in 99 steps
<b>Output projection:</b>	max. 8 m
<b>Fogging time:</b>	approx. 25 sec. at max. output, at < 50 % continuous output
<b>Temperature control:</b>	Microprocessor controlled
<b>Overheating protection:</b>	Heater block/thermostat, Pump/Thermal switch
<b>Control:</b>	DMX 512, 0–10 V analog
<b>Dimensions (L x W x H):</b>	35 x 18 x 19 cm
<b>Weight:</b>	7 kg incl. canister

Scope of delivery and prices: [blowerdoor-unlimited.com](http://blowerdoor-unlimited.com)

# BlowerDoor HeavyFogger

## Mains-operated Fogger

The HeavyFogger unites the current digital technology with proven technique and power. Several features guarantee a simple operation – place and fog, reducing the amount of time needed to set up the machine.



## The most important functions

- DMX as standard, analog and stand-alone-mode
- Internal timer
- Fog output adjustable in steps of 1 % (0–99 %)
- Continuous output
- Easy handling
- Powerful output
- Made in Germany

## Technical Data

<b>Procedure:</b>	Vaporizing fog generator
<b>Power requirement:</b>	1,300 Watt
<b>Voltage:</b>	230 V / 50 Hz, 120 V / 60 Hz
<b>Warm up time:</b>	approx. 7 min.
<b>Fluid consumption:</b>	120 ml/min. at max. output, 35 ml/min. at continuous output
<b>Fluid tank capacity:</b>	5 liter
<b>Fog output:</b>	adjustable in 99 steps
<b>Output projection:</b>	max. 15 m
<b>Fogging time:</b>	approx. 30 sec. at max. output, at < 50 % continuous output
<b>Temperature control:</b>	Microprocessor controlled
<b>Overheating protection:</b>	Heater block/thermostat, Pump/Thermal switch
<b>Control:</b>	DMX 512, 0–10 V analog
<b>Dimensions (L x W x H):</b>	47 x 23 x 24 cm
<b>Weight:</b>	17 kg incl. canister

Scope of delivery and prices: [blowerdoor-unlimited.com](http://blowerdoor-unlimited.com)